

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

Greed Acid

Other Names

Acidic solution of acid salts
Brick and wall cleaning formula

Uses

Calcium deposit removal, building restoration, Brick cleaning
Concrete and masonry stain removal, surface preparation, pollution removal, carbon deposit removal.

Company Details

Supplier:	Active Chemicals Pty Ltd	Telephone No.:	(02) 9826 0201
Address:	4/20 Powdrill Road Prestons NSW 2170	Facsimile No.:	(02) 9826 0208
		Email:	office@aquapac.com.au

Emergency Telephone No.:

Business Hours: 9826 0201

After Hours: Police or Fire 000

Poisons Information Centre: 131126

2. HAZARD IDENTIFICATION

U.N. Number:	1760, Corrosive liquid	Class:	8
Hazchem:	2R	Poisons Schedule:	S6
EPG:		Packaging Group:	II

Classified as hazardous according to criteria of NOHSC

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 1 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180

Professional Cleaning chemicals

Risk Statement:

R36/38 Irritating to eyes and skin.

Safety Statement:

R36/37/38 Irritating to eyes, respiratory system and skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and Seek medical advice.

S28 After contact with skin wash with plenty of soap and water.

Hazard Category: X1

Harmful, Irritant

3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Entity	CAS No.	Proportion
Hydrochloric acid	7647-01-0	< 50%
Phosphoric acid	7664-38-2	< 10%
Citric acid		<10%
Oxalic acid		<10%
Surfactants		<2%
Non-hazardous ingredients		25%
Corrosion inhibitor		<2%
Water	7732-18-5	balance

4. FIRST AID MEASURES

First Aid

Swallowed

Rinse mouth thoroughly with water immediately. If swallowed do NOT induce vomiting. Give 2-3 glasses milk or water. Seek immediate medical assistance.

Eye

Immediately irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. Seek immediate medical assistance.

Skin

Immediately wash contaminated skin with plenty of water and then wash with soap and water. If available, apply calcium gluconate gel to affected skin. Remove contaminated clothing and wash before re-use. Seek medical advice.

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 2 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

Inhalation Remove victim from exposure - avoid becoming a casualty. Seek medical advice.

Health Effects

Symptoms that may arise if the product is mishandled are:

Acute

Swallowed Ingestion may result in nausea.

Eye Irritating to eyes.

Skin Irritating to skin.

Inhaled Should not occur. However if heated may release chlorine which may cause respiratory irritation.

As with any chemical - ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

Chronic Effects

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

As with any chemical - ingestion, inhalation, and prolonged or repeated skin contact should be avoided by good occupational work practice.

Poison Information Centres in each State capital city can provide additional assistance.

Advice to Doctor

Treat symptomatically

5. Fire Fighting Measures

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 3 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180

Professional Cleaning chemicals

Fire / Explosion Hazards

Conditions to avoid:

High temperature: Toxic fumes of hydrogen chloride may be released if involved in a fire. Fire fighters are to wear self contained breathing apparatus and full protective clothing due to chlorine gas risk.

Materials to avoid:

Strong alkalis.

Hazardous Decomposition Products:

May produce hydrogen chloride and /or corrosive gases

Extinguishing Media:

Fire fighters should wear full protective clothing including self-contained breathing apparatus. In case of fire use water, foam, carbon dioxide, dry powder.

6. Accidental Release Measures

Spills

Clear area of all unprotected personnel. Wear protective equipment to prevent skin and eye contamination including breathing apparatus.

Contain do not allow spill material to enter the environment. Contain material using inert absorbent material eg vermiculite. Place into suitable labelled containers and hold for waste disposal. Wash area down with excess water once removed.

7. Handling and Storage

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 4 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

Storage and Transport

Classified as a Dangerous Good for the purposes of transport.

Use only plastic (PE, PP, PVC) or fibreglass containers/vessels – corrosive to mild and stainless steels. Other tanks should be lined with chloride resistant materials. Pumps should also be lined with chloride resistant materials.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

Personal Protection

Eyes: The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate.
Skin: Rubber or PVC gloves, overalls or PVC suit, safety or rubber boots
Respiratory: If mist is generated the use of a chlorine vapour half facepiece respirator is recommended.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

Flammability

Not combustible material.

PRECAUTIONS FOR USE

8. Exposure Controls / Personal Protection

Exposure Standards (for atmospheric contaminants in the occupational environment)

No value assigned for this product by the NOHSC (Workcover). However, the exposure standard for the acid constituent is:

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 5 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Hydrochloric acid	5	7.5		

Engineering Controls

Maintain concentration below recommended exposure limit. Use in a well-ventilated area. Avoid generating and inhaling mists and aerosols. Keep containers closed when not in use. If risk of overexposure exists, wear SAA approved respirator to comply with Australian Standards, ensuring correct fit to obtain adequate protection.

Personal Protection

- Eyes:** The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate.
- Skin:** Rubber or PVC gloves, overalls or PVC suit, safety or rubber boots
- Respiratory:** If mist is generated the use of a chlorine vapour half facepiece respirator is recommended.

Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Always wash hands before smoking, eating, drinking or using the toilet.

Flammability

Not combustible material.

Flammability

Not combustible material.

9. Physical Description / Properties

Appearance:	Clear to pale yellow solution.		
Flash point:	N/A	Specific Gravity:	1.15 – 2.0
Boiling point (°C):	N/A	ph (5% solution)	< 2
Melting Point (°C):	N/A	Solubility in Water (g/L):	soluble

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 6 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

Other Properties

Odour: characteristic
Solubility: Soluble in water

10. Stability and Reactivity

Chemical Stability:

Product is stable under normal conditions of use, storage and temperature.

**** KEEP CONTAINERS WELL SEALED ****

11. Toxicological Information

Toxicity

Toxicology:
N/A.

Chronic Effects

Repeated or prolonged skin contact may lead to irritant contact dermatitis.

12. Ecological Information

Ecotoxicity

No data available.

Mobility No information available on mobility for this product. Completely Miscible with water.

Doc Title:	MSDS GREED	Doc ID:	QA2
Version:	2.7 CURRENT	Version Date:	24/05/2013
Authorised by:	WS	Page:	7 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180
Professional Cleaning chemicals

Environmental Fate (Exposure) Do NOT allow product to enter waterways, drains or sewers.

13. Disposal Considerations

Disposal

Refer to State and Land Management Authority and relevant Environmental Protection Authority. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulation or recycled/reconditioned at an approved facility.

14. Transport Information

U.N. Number: 1760, Corrosive liquid **Class:** 8
Hazchem: 2R **Poisons Schedule:** S6
EPG: **Packaging Group:** II

15. Regulatory Information

Poisons Schedule S 6

EPG N/A

AICS Name No data available.

16. Other Information

Legend to Abbreviations and Acronyms

< less than > greater than

AICS Australian Inventory of Chemical Substances

CAS Chemical Abstracts Service (Registry Number)

CO2 Carbon Dioxide

COD Chemical Oxygen Demand

Deg C degrees Celsius

ERMA Environmental Risk Management Authority

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 8 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180

Professional Cleaning chemicals

g gram **g/cm³** grams per cubic centimetre **g/L** grams per litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

Immiscible liquids are insoluble in each other

Kg kilogram **Kg/m³** kilograms per cubic metre

LC 50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals

Ltr Litre **m³** cubic metre **mbar** millibar **mg** milligram **mg/24H** milligrams per 24 hours

Mg/Kg milligrams per kilogram **mg/m³** milligrams per cubic metre

Misc miscible

miscible liquids form one homogeneous liquid phase regardless of the amount of either component present

mm millimetre **mPa.s** milli Pascal per second

N/A Not Applicable

NOHSC National Occupational Health and Safety Commission

OECD Organization for Economic Co-operation and Development

PEL Permissible Exposure Limit

Ppb parts per billion **ppm** parts per million

Ppm/2h parts per million per 2 hours **ppm/6h** parts per million per 6 hours

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

Tne tonne

TWA time Weighted Average

Ug/24H micrograms per 24 hours

UN United Nations (number)

W weight

Company Disclaimer

All information contained in this data sheet is as accurate and up-to-date as possible. Since Aquapac Pty Ltd cannot anticipate or control the conditions under which this information may be used, each user should review the information in the specific context of the intended application.

Aquapac Pty Ltd will not be responsible for damages of any nature resulting from the use or reliance upon the information. No expressed or implied warranties are given

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 9 of 10

Active Chemicals Pty Ltd

ABN 16 117 075 180

Professional Cleaning chemicals

other than those implied mandatorily by Commonwealth, State or Territory legislation.

UNCONTROLLED DOCUMENT.

PLEASE ENSURE YOU HAVE THE CURRENT COPY

Doc Title: MSDS GREED

Doc ID: QA2

Version: 2.7 CURRENT

Version Date: 24/05/2013

Authorised by: WS

Page: 10 of 10